
# DOOR ENTRY SYSTEM RANGE












# ADVANCED TECHNOLOGY AND ITALIAN DESIGN IN A RANGE OF SPECIALISED SOLUTIONS GUARANTEED BY AN INTERNATIONAL BRAND,



Founded in 1956, Comelit Group SpA is an industrial company operating on a worldwide scale and specialising in the design and manufacture of video entry, video surveillance, anti-intrusion, home automation, access control systems and antifire.

The company has a strong international vocation thanks to its close ties with the area in which it was created and in which its headquarters are still located today.

Comelit exports to more than 70 countries in the world and, in addition to the Italian headquarters, it consists of 15 branches located in the strategic areas in which it operates: from Europe to the Far East, from the United States to the Middle East. An articulated commercial structure, which integrates a common know-how with the knowledge of the specific needs of each market.





# FOCUSING ON MANKIND AND HIS VALUES.

Comelit has always placed mankind at the centre of its vision. This humanist approach is evident in the company's focus on its employees, in the organisation of its working environment, in the ethics governing its relationships with suppliers and distributors, and in the partnership it fosters with installers. Every Comelit product expresses this vision, constructed on the basis of enduring values.

# CONSTANT INNOVATION, FRIENDLY TECHNOLOGY.

Constantly looking at the future is Comelit's mission. Innovation through continuous investments in men and technology, is expressed in the design of new solutions, in the name of maximum simplicity and functionality, able to contribute to a better quality of everyday life.

4



# DESIGN: STYLE, PASSION, ART.

Besides placing technology at the service of mankind, Comelit is also a byword for design. Its unique and original style combines the most hi-tech materials with simple lines, clean shapes and cutting-edge colours. Every Comelit product therefore conveys a new concept for living in a space, in harmony with modern architectural trends.



reddot design award

DESIGN PLUS





















# COMELIT APP



The Comelit App allows your video entry systems to be managed remotely by smartphones and/or tablets connected to 3G networks or above. It is possible to respond to calls from the entry station, make intercom calls, view recorded videos from the entry station and control the opening of gates and doors. The Comelit APP is available free of charge for iOS and Android devices.





# ANSWER CALLS FROM EXTERNAL UNITS

You can answer audio or audio / video calls from a smartphone or tablet locally or remotely (with 3G or higher network).

# VIEW AND MANAGE CAMERAS

You can view (live) CCTV cameras and images from the entrance panels.

# MAKE AND RECEIVE CALLS FROM OTHER INTERNAL UNITS (IN THE CONTACTS LIST) AND FROM OTHER DEVICES

You can make or answer audio calls from a smartphone or tablet with 3G or higher network to ViP internal units.



## VIDEO MEMORY

The Video Memory function allows to record and view videos from external units and CCTV cameras (up to 10 seconds).

# ACTUATOR ACTIVATION AND MANAGEMENT

This function is used to control actuators to control lights, gates, barriers, etc.

# SAVE YOUR BATTERY AND YOUR DATA

Comelit APP activates itself only when you receive a call, showing a push notification, saving your mobile data and battery.















Maxi





\*Functions available only with 6803W





- Full-duplex hands-free door entry monitor with 7" touch-screen (Exc 6801W and 6801W/BM) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 223x124x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

6801W	MAXI SERIES 7" MONITOR. SBTOP
6801W/BM	MAXI SERIES 7" MONITOR, MAG. LOOP VERSION. SBTOP
6802W	MAXI SERIES 7" MONITOR. VIP SYSTEM
6802B	MAXI VIP MONITOR, BLACK - VIP SYSTEM
6842W	MONITOR MAXI 7" WI-FI VIP - VIP SYSTEM
6803W	MAXI PLUS 7" MONITOR - VIP SYSTEM















- Full-duplex hands-free door entry monitor with 4.3" 16/9 touch-screen (ViP) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 142x145.5x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

6601W	ICONA SERIES HANDS-FREE COLOUR MONITOR. SBTOP SYSTEM
6601W/BM	ICONA SERIES HANDS-FREE COLOUR MONITOR, MAG. LOOP VERS. SBTOP
6602W	ICONA SERIES HANDS-FREE COLOUR MONITOR. VIP SYSTEM. H264
6602B	ICONA VIP MONITOR, BLACK

# INTERNAL UNITS







Mini









- Full-duplex handset door entry monitor with 4.3" 16/9 B/W or colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in White or Black

6700W	B/W MINI MONITOR WITH HANDSET. WHITE. SBTOP SYSTEM
6701W	MINI MONITOR WITH HANDSET, WHITE. SBTOP SYSTEM
6701W/BM	MINI MONITOR WITH HANDSET AND MAG.LOOP. WHITE. SBTOP SYSTEM
6701B	MINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM
6701B/BM	MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM
6702W	MINI MONITOR WITH HANDSET AND BM. WHITE. VIP

## INTERNAL UNITS







- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

# Mini Handsfree







6721W	MINI COLOUR HANDS-FREE MONITOR. WHITE SBTOP SYSTEM
6721W/BM	MINI HANDSFREE COLOUR MONITOR WHITE. SBTOP SYST.
6722W	HANDSFREE MINI MONITOR. WHITE. BM. VIP SYSTEM
6741W	COLOUR HF MINI MONITOR WITH WI-FI. SBTOP.
6741W/BM	MINI COLOUR MONITOR, HF WI-FI AND BM. SBTOP
6742W	COLOUR MINI HF,WI-FI AND GW WITH INDUCTION LOOP-VIP





# Mini Audio

- Door-entry phone with handset
- Wall-mounted and desk base installation
- Version for SBTOP S1, SBTOP S2, 4+n
- Dimensions: 103x190x17 mm
- Ringtone volume adjustment and privacy control
- Available in White with 2 or 5 buttons

2702W	DOOR-ENTRY PHONE W/ 2 BUTTONS FOR TRAD. SYSTEM. MINI SERIES
2703U	UNIVERSAL DOOR-ENTRY PHONE WITH 2 BUTTONS. MINI SERIES
2708W	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS AUDIO. MINI SER.
2738W	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.
2719W	DOOR-ENTRY PHONE W/ 5 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.
2712W	ENTRY PHONE FOR KIT. MINI SERIES.







- Hands-free door entry phone
- Wall-mounted
- Commands with "Sensitive touch" technology and LED backlighting
- Version for Simplebus2 system
- Dimensions: 95x95 mm
- Ringtone volume adjustment and privacy control
- Available in White

6750W	MINI HANDSFREE ENTRY PHONE AND BM. A/V S2 SYSTEM
6751W	MINI HANDSFREE ENTRY PHONE. AUDIO S2 SYSTEM



EXTERNAL UNITS

Merlion Awards



reddot design award



30166 Touch











- Audio and audio/video external unit
- In AISI 316 stainless steel
- 8" backlit touch-screen colour display
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Attractive and intuitive fully graphic interface
- IK08 protection rating
- Voice messages and visual indications for hearing aid users via pictograms on the display
- 4 different call modes (name search, code, alphabetic entry button and button with customisable graphics)
- Integrated RFID reader

3453S	STAINLESS STEEL SBC 316 TOUCH A/V ENTRANCE PANEL
3454S	316 AUDIO VIDEO ENT. PAN., TOUCH H264 - VIP

## EXTERNAL UNITS







- Audio and audio/video external unit
- In AISI 316 stainless steel
- Backlit 128x64 pixel graphic display
- Alphanumeric keypad featuring exclusive "Sensitive Touch" technology
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Braille character keys, voice messages and visual indications for hearing aid users via pictograms on the display
- IK08 protection rating
- Integrated RFID reader
- Night-time lighting with accessory (rain shield)





3451AS	STAINLESS STEEL SBC DIG. 316 SENSE AUDIO ENT.PAN.
3451S	STAINLESS STEEL SBC DIGITAL 316 SENSE A/V ENT.PAN.
3452S	316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

30ne6 Sense

















- Audio and audio/video external unit
- In AISI 316 stainless steel
- Call buttons featuring exclusive "Sensitive Touch" technology
- Flush-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Available in versions with 1 to 12 buttons
- IK08 protection rating
- Voice messages, LED indications and graphic icons for hearing aid users

3001XVB3012XVB	316 ANALOG AUDIO/VIDEO ENT.PANEL
3001XAS3012XAS	316 SBC AUDIO ENTRANCE PANEL
3001XAB3012XAB	316 ANALOG AUDIO ENT.PANEL
3201XAS3012XAS	316 AUDIO ENT. PANEL - VIP
3201XVS3012XVS	316 AUDIO VIDEO ENT. PANEL - H264 VIP


















- Audio and audio/video external unit
- Steel finish
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES













Audio and audio/video external unit

- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting



FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES

FXTFRNAI IINITS







DESIGN PLUS



Quadra











- Audio/video external unit
- Die-cast aluminium cover
- Mechanical call buttons
- Surface-mounted installation
- Dimensions 95x195x23 mm.
- Colour video camera with wide viewing angle
- IK08 protection rating
- 4 indicator LEDs for call sent, door open, audio active, system busy
- White LED for illumination
- Nameplate holder in versions with 1/2/4 buttons
- High performance loudspeaker

EX-DSME	QUADRA ENTRANCE PANEL W/ BUTTONS. 2-WIRE
4793MA	ALUMINIUM FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MB	BLACK FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MC	CORTEN FACEPLATE FOR QUADRA ENTRANCE PANEL





- Audio and audio/video external unit
- Modules made using double 2.5 mm stainless steel plate
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Stainless steel micro stroke buttons
- Analogue or digital version
- IK10 protection rating









- Audio and audio/video external unit
- Distinguished by the application of high-quality materials such as brass, 3 mm thick watchmaking brass plates
- Flush-mounted installation
- Available for SBTOP and digital ViP system
- Available in versions with 1 to 48 buttons
- Also available in anthracite and bronzed finishes
- PVD treatment



AUDIO EXTERNAL UNIT
AUDIO/VIDEO EXTERNAL UNIT
AUDIO ANTHRACITE EXTERNAL UNIT
AUDIO/VIDEO ANTHRACITE EXTERNAL UNIT
AUDIO BRONZED EXTERNAL UNIT
AUDIO/VIDEO BRONZED EXTERNAL UNIT

# SMART EXTERNAL UNITS



- HD live Streaming
- Answer anywhere with your smartphone
- Motion Detection
- Door release capabilty
- Surface mounted
- Dimensions 135x 46x32 mm
- RGB LEDs
- High quality audio
- Interchangeable coloured covers








KITVIST0	WI-FI VISTO KIT
KITVISTO/C	WI-FI VISTO KIT WITH POWER SUPPLY AND WIRELESS CHIME
KITVIST02	2-WIRE ETHERNET VISTO KIT














The Multi-User Gateway is a revolutionary door entry solution which will change the way you think of Multi-tenant door entry access. It is time to finally step forward from antiquated telephone only door entry systems and be able to answer calls from the main door on your smartphone or tablet with full video communication with our Comelit App.










United States of America

# HOW TO CONTACT US.




www.comelitgroup.com

pro.comelitgroup.com







[ IT ] Comelit Group Spa
Via Don Arrigoni 5
24020 Rovetta S. Lorenzo
Bergamo Italy
Tel. +39 (0) 346 750011
Fax +39 (0) 346 71436
www.comelitgroup.com
info@comelit.it

[ AU ] Comelit Australia Pty Ltd
Unit 6/11 Sabre Drive
Port Melbourne
Victoria 3207
Ph. 1300 889000
enquiries@comelitgroup.com.

[ BE ] Comelit Group Belgium Kleinewinkellan 24 1853 Grimbergen Belgium Tel. +32 2 411 50 99 Fax. +32 2 411 50 97 www.comelit.be info@comelit.be

[ CO ] Comelit Colombia Carrera 76#73-44, 2° piso Bogotá, Colombia Tel. (57-1) 4929358/79686 james.quimbaya@comelit.it www.comelit.com.co

### [ DE ] Comelit Group S.p.A. Deutschland

Konrad-Zuse-Str. 2 41516 Grevenbroich -Deutschland Tel. 0218282960 fax: 021828296299 www.comelit.de info@comelit.de

[ ES ] Comelit Group Spa Sucursal en Espana Calle Pintor Roig i Soler, 28 08916 - Badalona (Barcelona) Tel. +34 932 430 376 Fax +34 934 084 683 www.comelit.es info@comelit.es

[ FR ] Comelit Immotec 18, rue Séjourné 94000 CRETEIL CEDEX Tél. +33 (0) 1 43 53 97 97 Fax +33 (0) 1 43 53 97 87 www.comelit.fr contact@comelit-immotec.fr

[ GR ] Comelit Hellas - Telergo Security Ltd Roumelis, 59 16451 Argiroupoli - Athens Greece Tel. +30 210 99 68 605-6 Fax +30 210 99 45 560 www.comelit.gr telergo@otenet.gr

# [ IE ] Comelit Ireland

Ground Floor 14 Herbert Street - Dublin 2 Tel. +353 (0) 1 619 0204 Fax +353 (0) 1 619 0298 www.comelit.ie info@comelit.ie

[ NL ] Comelit Nederland BV
Buitendijks 1-3356 LX
Papendrecht
Tel. +31 786511201
Fax +31 786170955
www.comelit.nl
info@comelit nl

# [ SG ] Comelit South East Asia Pte Ltd

Oxley Bizhub1 Blk 69, Ubi Road 1, #05-27 408731 Singapore Tel. +6567024780 www.comelit.sg office@comelit.sg

[ AE ] Comelit Middle East Office 1-154, Techno Hub Dubai Silicon Oasis Free zone - Dubai, UAE www.comelit.ae info@comelit.ae [ GB ] Comelit Group UK Ltd
Unit 4 Mallow Park Watchmead
Welwyn Garden City Herts
AL7 1GX
Tel: +44 (0)1707377203
Fax: +44 (0)1707377204
www.comelitgroup.co.uk
sales@comelitgroup.co.uk

### [ US ] Comelit Usa

2021 S. Myrtle Avenue Monrovia, CA 91016 Tel. +1 626 930 0388 Fax +1 626 930 0488 www.comelitusa.com sales@comelitusa.com

# [ RU ] Comelit Group Russia

Moscow, Krasnogvardeisliy bulvar, 7A tel: +7(495)789-49-33 www.comelit.ru mail: tsn@comelit.ru mail: info@comelit.ru

### [ HK ] Comelit Hong Kong

Representative Office Rm 601, 6/F, Tung Hip Commercial Building, 248 Dex Voeux Road Central, Office direct line: +852 3582 1632 www.comelit.hk info@comelit.hk

# YOUR PROFESSIONAL CONTACT: **Electronic Security Solutions, Inc.**

1225 Shiloh Boulevard, #69 • Zion, Illinois 60099 847.767.3100 esslockingsystems.com

www.comelitgroup.com



